

Tinplate Containers

45 mm 3-Piece Tinplate Container

CONTAINER DETAIL		45 mm 3-Piece Tinplate Aerosol Container																										
	<table border="1"> <tr> <td>A: Dia. Over Top Seam</td> <td>43.60 ± 0.30 mm</td> </tr> <tr> <td>B: Dia. Over Curl</td> <td>31.14 ± 0.15 mm</td> </tr> <tr> <td>C: Aperture Dia.</td> <td>25.40 ± 0.10 mm</td> </tr> <tr> <td>D: "D" Dimension</td> <td>5.60 ± 0.50 mm</td> </tr> <tr> <td>G: Can External Dia.</td> <td>45.25 ± 0.20 mm</td> </tr> <tr> <td>K: Cone Height</td> <td>5.60 ± 0.40 mm</td> </tr> <tr> <td>M: Contact Height</td> <td>4.00 ± 0.20 mm</td> </tr> <tr> <td>Print Area Width</td> <td>139.9 mm</td> </tr> <tr> <td>Bulge Pressure</td> <td>1070 kPa</td> </tr> <tr> <td>Burst Pressure</td> <td>1450 kPa</td> </tr> <tr> <td>Maximum Fill Pressure</td> <td>970 kPa @ 55 ° C</td> </tr> <tr> <td>Recycle Material %</td> <td>± 96 %</td> </tr> </table>		A: Dia. Over Top Seam	43.60 ± 0.30 mm	B: Dia. Over Curl	31.14 ± 0.15 mm	C: Aperture Dia.	25.40 ± 0.10 mm	D: "D" Dimension	5.60 ± 0.50 mm	G: Can External Dia.	45.25 ± 0.20 mm	K: Cone Height	5.60 ± 0.40 mm	M: Contact Height	4.00 ± 0.20 mm	Print Area Width	139.9 mm	Bulge Pressure	1070 kPa	Burst Pressure	1450 kPa	Maximum Fill Pressure	970 kPa @ 55 ° C	Recycle Material %	± 96 %		
	A: Dia. Over Top Seam	43.60 ± 0.30 mm																										
	B: Dia. Over Curl	31.14 ± 0.15 mm																										
	C: Aperture Dia.	25.40 ± 0.10 mm																										
	D: "D" Dimension	5.60 ± 0.50 mm																										
	G: Can External Dia.	45.25 ± 0.20 mm																										
	K: Cone Height	5.60 ± 0.40 mm																										
	M: Contact Height	4.00 ± 0.20 mm																										
	Print Area Width	139.9 mm																										
	Bulge Pressure	1070 kPa																										
Burst Pressure	1450 kPa																											
Maximum Fill Pressure	970 kPa @ 55 ° C																											
Recycle Material %	± 96 %																											
Can Designation	E: Height Over Seams	F: Overall Height	P: Print Design Limits	Entire Area to be Printed (w x h)	Nominal Brimful Capacity																							
140 x 45 x 096	96.00 ± 0.60 mm	101.60 ± 0.60 mm	82.20 mm	139.9 mm x 100.2 mm	140 mL																							
200 x 45 x 133	133.00 ± 0.60 mm	138.60 ± 0.60 mm	119.20 mm	139.9 mm x 137.2 mm	200 mL																							
210 x 45 x 140	140.00 ± 0.60 mm	145.60 ± 0.60 mm	126.20 mm	139.9 mm x 144.2 mm	210 mL																							
250 x 45 x 165	165.00 ± 0.60 mm	170.60 ± 0.60 mm	151.20 mm	139.9 mm x 169.2 mm	250 mL																							

Tinplate Containers

52 mm 3-Piece Tinplate Container

CONTAINER DETAIL		52 mm 3-Piece Tinplate Aerosol Container			
	A: Dia. Over Top Seam		50.70 ± 0.30 mm		
	B: Dia. Over Curl		31.14 ± 0.15 mm		
	C: Aperture Dia.		25.40 ± 0.10 mm		
	D: "D" Dimension		5.60 ± 0.50 mm		
	G: Can External Dia.		52.80 ± 0.20 mm		
	K: Cone Height		8.00 ± 0.40 mm		
	M: Contact Height		4.00 ± 0.20 mm		
	Print Area Width		163.40 ± 0.50 mm		
	Bulge Pressure		1070 kPa		
	Burst Pressure		1450 kPa		
Maximum Fill Pressure		970 kPa @ 55 ° C			
Recycle Material %		± 96 %			
Can Designation	E: Height Over Seams	F: Overall Height	P: Print Design Limits	Entire Area to be Printed (w x h)	Nominal Brimful Capacity
200 x 52 x 099	99.40 ± 0.60 mm	107.40 ± 0.60 mm	84.50 mm	163.4 mm x 102.5 mm	200 mL
240 x 52 x 116	116.40 ± 0.60 mm	124.40 ± 0.60 mm	101.50 mm	163.4 mm x 119.5 mm	240 mL
270 x 52 x 132	132.40 ± 0.60 mm	140.40 ± 0.60 mm	117.50 mm	163.4 mm x 135.5 mm	270 mL
300 x 52 x 141	141.40 ± 0.60 mm	149.40 ± 0.60 mm	126.50 mm	163.4 mm x 144.5 mm	300 mL
335 x 52 x 162	162.40 ± 0.60 mm	170.40 ± 0.60 mm	147.50 mm	163.4 mm x 165.5 mm	335 mL
350 x 52 x 170	170.40 ± 0.60 mm	178.40 ± 0.60 mm	155.50 mm	163.4 mm x 173.5 mm	350 mL
400 x 52 x 190	190.40 ± 0.60 mm	198.40 ± 0.60 mm	175.50 mm	163.4 mm x 193.5 mm	400 mL
450 x 52 x 214	214.40 ± 0.60 mm	222.40 ± 0.60 mm	199.50 mm	163.4 mm x 217.5 mm	450 mL

Tinplate Containers

57 mm 3-Piece Tinplate Container

CONTAINER DETAIL		57 mm 3-Piece Tinplate Aerosol Container			
	A: Dia. Over Top Seam		55.50 ± 0.30 mm		
	B: Dia. Over Curl		31.14 ± 0.15 mm		
	C: Aperture Dia.		25.40 ± 0.10 mm		
	D: "D" Dimension		6.20 ± 0.50 mm		
	G: Can External Dia.		57.80 ± 0.20 mm		
	K: Cone Height		10.20 ± 0.40 mm		
	M: Contact Height		4.00 ± 0.20 mm		
	Print Area Width		171.1 ± 0.50 mm		
	Bulge Pressure		1070 kPa		
	Burst Pressure		1450 kPa		
Maximum Fill Pressure		970 kPa @ 55 ° C			
Recycle Material %		± 96 %			
Can Designation	E: Height Over Seams	F: Overall Height	P: Print Design Limits	Entire Area to be Printed (w x h)	Nominal Brimful Capacity
300 x 57 x 124	124.00 ± 0.60 mm	134.20 ± 0.60 mm	110.10 mm	177.1 mm x 128.1 mm	300 mL
350 x 57 x 143	143.00 ± 0.60 mm	153.20 ± 0.60 mm	129.10 mm	177.1 mm x 147.1 mm	350 mL
400 x 57 x 162	162.00 ± 0.60 mm	172.20 ± 0.60 mm	148.10 mm	177.1 mm x 166.1 mm	400 mL
450 x 57 x 181	181.00 ± 0.60 mm	191.20 ± 0.60 mm	165.10 mm	177.1 mm x 183.1 mm	450 mL
500 x 57 x 200	200.00 ± 0.60 mm	210.20 ± 0.60 mm	186.10 mm	177.1 mm x 204.1 mm	500 mL
525 x 57 x 207	207.00 ± 0.60 mm	217.20 ± 0.60 mm	193.10 mm	177.1 mm x 211.1 mm	525 mL

Tinplate Containers

65 mm 3-Piece Tinplate Container

CONTAINER DETAIL		65 mm 3-Piece Tinplate Aerosol Container			
	A: Dia. Over Top Seam	63.20 ± 0.30 mm			
	B: Dia. Over Curl	31.14 ± 0.15 mm			
	C: Aperture Dia.	25.40 ± 0.10 mm			
	D: "D" Dimension	6.30 ± 0.50 mm			
	G: Can External Dia.	65.90 ± 0.20 mm			
	K: Cone Height	13.50 ± 0.40 mm			
	M: Contact Height	4.00 ± 0.20 mm			
	Print Area Width	202.3 ± 0.50 mm			
	Bulge Pressure	1070 kPa			
	Burst Pressure	1450 kPa			
Maximum Fill Pressure	970 kPa @ 55 °C				
Recycle Material %	± 96 %				
Can Designation	E: Height Over Seams	F: Overall Height	P: Print Design Limits	Entire Area to be Printed (w x h)	Nominal Brimful Capacity
340 x 65 x 104	104.00 ± 0.60 mm	117.50 ± 0.60 mm	89.60 mm	202.3 mm x 107.6 mm	340 mL
400 x 65 x 124	124.00 ± 0.60 mm	137.50 ± 0.60 mm	109.60 mm	202.3 mm x 127.6 mm	400 mL
500 x 65 x 152	152.00 ± 0.60 mm	165.50 ± 0.60 mm	137.60 mm	202.3 mm x 155.6 mm	500 mL
650 x 65 x 198	198.00 ± 0.60 mm	211.50 ± 0.60 mm	183.60 mm	202.3 mm x 201.6 mm	650 mL
800 x 65 x 240	240.00 ± 0.60 mm	253.50 ± 0.60 mm	225.60 mm	202.3 mm x 243.6 mm	800 mL